



Dart Hawkesbury
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D350-636-012
Job Sheet 167569



Part No: D350-636-012

Job Qty: 1 ea

Part Name: Skidtubes RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 11/2/17

Job Tracking No:

Due Date: 11/24/17

Created By: Victoria Michaud-Febrille

Type: Stock

Description:

Customer: Heli-Fix Maintenance Inc (CHFIX01)

252 Edouard Drouin St Jerome, QC, J7Y 4X5 Canada ph:(450) 712-3955

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea		11/23/17	0.00	0.00	Start Up Skidtubes		
110	Skidtubes	1 pcs		11/23/17	0.00	4.36	Skidtubes		
120	QC	1 pcs		11/23/17	0.00	0.00	QC10		
130	QC	1 pcs		11/23/17	0.00	0.00	QC5		
140	HandFinish	1 pcs		11/23/17	0.00	0.91	HandFinish1		
150	QC	1 pcs		11/23/17	0.00	0.00	QC7		
160	Skidtubes	1 pcs		11/23/17	0.00	4.36	Skidtubes		
170	QC	1 pcs		11/23/17	0.00	0.00	QC10		
180	QC	1 pcs		11/23/17	0.00	0.00	QC5		
190	HandFinish	1 pcs		11/23/17	0.00	0.91	HandFinish2		
200	Spray Paint	1 pcs		11/23/17	0.00	0.69	Spray Paint		
210	QC	1 pcs		11/23/17	0.00	0.00	QC14		
230	HandFinish	1 pcs		11/24/17	0.00	0.91	HandFinish4		
240	QC	1 pcs		11/24/17	0.00	0.00	QC5		
250	Packaging	1 pcs		11/24/17	0.00	0.00	Packaging1		
260	QC	1 pcs		11/24/17	0.00	0.00	QC4		
265	DC	1 pcs		11/24/17	0.00	0.00	DC		
270	Packaging	1 pcs		11/24/17	0.00	0.00	Packaging3		
280	QC21-FG	1 Ea		11/24/17	0.00	0.00	QC21		

Part Op 110 - 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig DT8150 & Descriptions: DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 9- Grind welds flush as per Dwg D2750

160 - 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) 3- Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. Batch #: M138654 exp. 2018-04-31

180 - ***VERIFY C'BOARD IS GOOD***

190 - Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.

200 - 1- PRIME AS PER DWG AND QSI 005 4.2

210 - Inspect for foreign object per QSI 024

230 - 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting D3488-042, wearshoes and

DART
AEROSPACE
S033009

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com



Skidtube RH, Std Wearplates, DART (Apical)
Cylindrical/Aerazur Float Comp.

PART NO: D350-636-012

Original Serial #: S033009

Revision:

Operation:

Change No:

Start up Operation 01/17/18
CHG007

Job No: 167569

ground handling hardware as per dwg D2750 5-Coat all exposed fasteners with "LPS Procyon" batch: M133690
 265 - record fwd angle: 90° Photocopy blue file and type labels per PPP D350-636-012 CHG 007
 270 - Package as per PPP D350-636-012

Job Allocations

Operation	Component Part	Required	Inventory	Allocated	Std Qty
90-Start up Operation	D2600-3-BENT-RH <u>5030328</u>	1	0	0	0
	D2744 <u>5003310</u>	1	20	0	0
160-Skidtubes	D2739 <u>5030813</u>	1	15	0	0
	D2743 <u>5026588</u>	8	145	0	0
	D3490-1 <u>5017322</u>	4	33	0	0
	D3490-3 <u>5030890</u>	4	20	0	0
230-HandFinish	ALS4-1032-225 <u>5007250</u>	38	879	0	0
	AN3C5A <u>5019396</u>	34	412	0	0
	AN3C6A <u>5019397</u>	4	80	0	0
	AN6C44A <u>FM137055-1</u>	4	251	0	0
	AN8C35A <u>FM137203</u>	1	97	0	0
	D2745 <u>5026936</u>	8	92	0	0
	D3488-042 <u>5163297-2</u>	1	5	0	0
	D3492-1 <u>5025647</u>	8	59	0	0
	D3492-3 <u>5036523</u>	8	101	0	0
	D3535-25 <u>5040748</u>	1	11	0	0
	D3536-25 <u>5046424</u>	1	13	0	0
	D3537-1 <u>5037413</u>	3	94	0	0
	D3631-1 <u>5008168</u>	8	4	0	0
	D3791-1 <u>5163442-117</u>	1	9	0	0
	D3793-1 <u>5038363</u>	1	9	0	0
	D3793-3 <u>5032647</u>	1	10	0	0
	D3794-1 <u>5031919</u>	1	8	0	0
	D3794-3 <u>5046244</u>	1	11	0	0
	MS21043-6 <u>5041601</u>	4	66	0	0
	MS21083C8 <u>5034401</u>	1	31	0	0
	NAS1149C0332R <u>5019380</u>	38	4,240	0	0
	NAS1149C0832R <u>5138409-121</u>	1	118	0	0
	NAS1515H3L <u>FM137361-25</u>	4	222	0	0
	NAS1611-010 <u>5022098</u>	8	123	0	0
	NAS1611-013 <u>5022099</u>	8	117	0	0
250-Packaging	AN8C21A	2	235	0	0
	D2741	1	70	0	0
	D3493-1	2	38	0	0
	D3532-1	2	11	0	0
	MS21083C8	2	31	0	0
	NAS1149D0863J	2	205	0	0

Part Specifications

Specifications could not be found.

QTY -041	QTY -042	QTY -043	QTY -044	PART NUMBER	DESCRIPTION
X				D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X			D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X		D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X	D2750-044	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	D2739	WEB
8	8	8	8	D2743	SPACER
1	1	1	1	D2744	CAP
8	8	8	8	D2745	BUSHING
1				D2750-1	SKIDTUBE WELDMENT, LH
	1			D2750-2	SKIDTUBE WELDMENT, RH
		1		D2750-3	SKIDTUBE WELDMENT, LH
			1	D2750-4	SKIDTUBE WELDMENT, RH
1		1		D3488-041	BLADE FITTING, LH
	1		1	D3488-042	BLADE FITTING, RH
4	4	4	4	D3490-1	SPACER
4	4			D3490-3	SPACER
		4	4	D3490-5	SPACER
8	8	8	8	D3492-041	PLUG ASSEMBLY
8	8			D3492-043	PLUG ASSEMBLY
		8	8	D3492-045	PLUG ASSEMBLY
1	1	1	1	D3535-25	WEARSHOE
1	1	1	1	D3536-25	GASKET
3	3	3	3	D3537-1	WEARPAD
8	8	8	8	D3631-1	WASHER
1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	D3794-1	GASKET
1	1	1	1	D3794-3	GASKET
38	38	38	38	ALS4-1032-225	INSERT (OR ALS7-1032-225, AKS4-1032-225, AELS-1032-225)
34	34	34	34	AN3C5A	BOLT
4	4	4	4	AN3C6A	BOLT
4	4	4	4	AN8C44A	BOLT
1	1	1	1	AN8C35A	BOLT
38	38	38	38	AN960C10L	WASHER
1	1	1	1	AN960C816L	WASHER
4	4	4	4	MS21043-6	NUT
1	1	1	1	MS21083C8	NUT
4	4	4	4	NAS1515H3L	WASHER

GENERAL NOTES:

- MATERIAL: MAKE D2750-1/2/3/4 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- FINISH: ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.
STANDARD: PRIME (REF. 4.2.1.3.3) AND PAINT WHITE PER DART QSI 005 4.2
OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: D2750-041/-042/-043/-044 = 26.5 LBS
- WELD PER DART QSI 004
- INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL "F" SIZE HOLES ($\phi 0.287$) FOR WEARSHOE INSERTS
- FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF
FINISH WITH MEK DEGREASER.
- SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL

RELEASED
2013-08-13


G	CORRECTED TOLERANCE ON $\phi 0.500$ THRU HOLE: IS $+0.010/-0.000$, WAS $+0.100/-0.000$ (ZN B3-4, B2-5); ADD VIEW TO CONTROL FWD BEND ORIENTATION (ZN D-1-4/-5/-6/-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3; REASON: PAR13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 9413; QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/3 REPLACES D3535-13/35 (ZN C8-1); D3794-1/3 REPLACES D3536-13/35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL), WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES; ADD RUBBER GASKETS, CHANGE INSERTS, ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515H4L; REMOVE D2741, QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEC 9133/9157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24694-S293 TO AN8-16A	CP	98.09.01
A	NEW ISSUE	DS	96.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN	MM		
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	13.07.11		

DART AEROSPACE USA, INC.
KENT, WA


DRAWING NO.
D2750
TITLE
350 SKIDTUBE ASSEMBLY

REV. G
SHEET 1 OF 11
SCALE
NTS

COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR FOR ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



D2750-041 350 SKIDTUBE ASSEMBLY, LH



D2750-042 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13
ND


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 2 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FORM OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	

D2750-043 350 SKIDTUBE ASSEMBLY, LH


D2750-044 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 3 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1996 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PREPARED AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-1 LH SKIDTUBE




DETAIL A
SCALE 2X




DETAIL B
SCALE 2X




DETAIL C
SCALE 2X




DETAIL D
SCALE 2X




SECTION E-E
SCALE 3X, 2 PL



SECTION F-F
SCALE 3X, 17 PL



SECTION G-G
SCALE 3X, 4 PL





SECTION H-H
SCALE 3X, 4 PL

RELEASED
2013-08-13


DESIGN	MM	DART AEROSPACE USA, INC.
DRAWN		KENT, WA
CHECKED		REV. G
MFG. APPR.		D2750 SHEET 4 OF 11
APPROVED		TITLE SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY NTS
DATE	13.07.11	

COPYRIGHT © 1988 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PREPARED AND CONTAINED IN THE SUPPLEMENTARY CODE ON THAT IT IS
NOT TO BE REPRODUCED FOR ANY PURPOSE OR COPIED OR SUBMITTED TO ANY OTHER PERSON OR ENTITY
WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)


D2750-2 RH SKIDTUBE




D8-5
SCALE 2X




C7-5
SCALE 2X




D6-5
SCALE 2X




C3-5
SCALE 2X




C6-5
SCALE 3X, 2 PL



C4-5
SCALE 3X, 17 PL



B5-5
SCALE 3X, 4 PL




B3-5
SCALE 3X, 4 PL


RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 5 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.	


8 7 6 5 4 3 2 1




D2750-3 LH SKIDTUBE




DETAIL S
D8-6
SCALE 2X




DETAIL T
C5-6
SCALE 2X




DETAIL U
D3-6
SCALE 2X



SECTION V-V
C4-6
SCALE 3X, 17 PL




SECTION W-W
B8-6
SCALE 3X, 4 PL



SECTION X-X
B4-6
SCALE 3X, 4 PL

RELEASED
2013-08-13


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 8 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRINTED AND CONTAINED, AND IS SUPPLIED ON THE BASIS OF THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	



RELEASED
2013-08-13






DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 8 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND CONTAINS NO INFORMATION OF A NATURE THAT REQUIRES PROTECTION FROM UNAUTHORIZED DISCLOSURE NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1




D2750-042 350 SKIDTUBE ASSEMBLY, RH


RELEASED
2013-08-13



DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 9 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1









Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO038933

Supplier: ATE003-VC
Atelier Debosselage
358 Principale
Calumet
QC
J0V 1B0 Canada
Phone: 819 242 5633

PO No: PO038933
PO Date: 2/2/18
Due Date: 2/5/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Baker, Diane
Phone: dbaker@dartaero.com

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	168941	D3391-021	Fwd Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
2	168617-A	D3391-021	Fwd Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
3	168760-A	D3391-021	Fwd Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$125.00/pcs	\$125.00 18/02/02 mdf
4	168619-B	D3391-023	Mid Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
5	168761-A	D3391-023	Mid Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$125.00/pcs	\$125.00 18/02/02 mdf
6	168761	D3391-023	Mid Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
7	168621-C	D3391-025	Aft Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
8	168621-A	D3391-025	Aft Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs	1 pcs	\$125.00/pcs	\$125.00
9	168621-B	D3391-025	Aft Tube Assembly	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$125.00/pcs	\$125.00 18/02/02 mdf
10	169228-B	D350-636-011	Skidtube LH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs	\$225.00 At 18/02/06
11	169228	D350-636-011	Skidtube LH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs	\$225.00 18/02/02 mdf
12	169856	D350-636-011	Skidtube LH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs	\$225.00 18/02/02 mdf
13	167569	D350-636-012	Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs	\$225.00 At 18/02/06
14	167568-A	D350-636-012	Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs	\$225.00 At 18/02/06



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO038933

Items

Line Item	Job	Part	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
			Comp.							
✓ 15	167302-B	D350-636-015	Skidtube LH, Run-on Landing Wearplates, DART(Apical) Cylind./Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs 18/02/02	\$225.00 ms
✓ 16	167302	D350-636-015	Skidtube LH, Run-on Landing Wearplates, DART(Apical) Cylind./Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs At 18/02/06	\$225.00
✓ 17	167339	D350-636-016	Skidtube RH, Run-on Landing Wearplates, DART(Apical) Cylind./Aerazur Float Comp.	Firmed	2/5/18	1 pcs	0 pcs 1x	1 pcs	\$225.00/pcs 18/02/02	\$225.00 ms
Grand Total:									\$2,925.00	

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/2/18 10:21 AM dart.baker.diane



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

Container View (Active) - Master Unit Containers

Master Unit No	Container No	Part No	Part Name	From Container	Current Location	Quantity
000576	S039807	AN8C21A	Bolt	FM137162-40	HandFinish4	2
000576	S039808	D2741	Replacement Blade	F163260-1	HandFinish4	1
000576	F165368	D3493-1	Washer		HandFinish4	2
000576	S039806	D3532-1	Spacer	S026734	HandFinish4	2
000576	S034875	MS21083C8	Nut	S003494	ST297	2
000576	S039804	NAS1149D0863J	Washer	F125268	HandFinish4	2

Note: Ad hoc query view of Part.dbo.Container where Container.Active = 1.

Plex 3/1/18 1:09 PM dart.quirion.sonia